

Forklift Attachment

Forklift Attachments Fresno - Many different jobs would be impossible without the help of forklift attachments. There are numerous forklift attachments that make jobs faster and safer to complete. In addition to general forklift training, operators must be properly training for each attachment they intent to use. Many hydraulic and non-hydraulic forklift attachments are available. They offer numerous benefits by decreasing man-power, employee accidents, fuel consumption, damage to stock and time. Equipment Considerations Forklift attachments can replace existing attachments or may be added to a machine that doesn't already have one. Various considerations need to be taken prior to adding or replacing any forklift attachment. These considerations include the kind of forklift, the machine's capacity, the number of hydraulic functions required to power the attachment's and the type of carriage. Failure to properly consider these factors will increase the safety risk associated with operation of a forklift and its attachments and increase the risk for damage to the forklift, the attachment and surrounding area, including stock. Extra safety factors must be considered which will be discussed in more detail. Forklift Rating and Re-Rating Forklifts are given lift capacity ratings by the manufacturer which will need to be adjusted if adding or changing a forklift attachment. Online calculators are available from manufacturers of forklift attachment's to provide estimates on every attachments' lifting capacity. It is important to note that only the forklift manufacturer can provide accurate lifting capacities. Prior to installing any attachment, it is important to contact the local authorized dealer of the forklift brand being used and request that they re-rate the forklift in accordance with the attachment being considered for use. There will be a new specification plate that is factory authorized once the forklift manufacturer has re-rated the machine. This new specification plate will replace the original plate and should be installed showing the new rating for the forklift. Equipment Upgrades It is vital to note when working with forklift attachments the equipment's hydraulic function consists of a forklift valve that has a lever located near the operator which creates two areas for pressurized hydraulic passages for oil. Note that not every attachment is hydraulic; however, the hydraulic attachments provide more features compared to the number of valves the forklift offers. In this circumstance, it is common to add one or more valves as needed. There are numerous ways a valve can be added. The manufacturers of forklifts create accessories to simplify hose and valve routing. Due to the cost of labor and parts required, this process may not be practical. Another possibility is to install a cable reel, solenoid valve and hose to divert oil from an alternate location. The main issue is that the cable reels and hose may block the view of the operator and these items can be damaged. Special hoses and a solenoid valve kit an be used to create an electrical conduit out of the reinforced braid. These hoses are designed to replace existing ones and stay free from being damaged. The operator can enjoy a clear view with this option. Safety Considerations Proper training must be obtained prior to fitting any forklift attachment. An operator must be competent in the fitting, operating and removal of the attachment. Before using any forklift attachment, two safety issues need consideration. The nominal load rating will be reduced on the forklift once any attachment is applied. The nominal load rating is computed with a stock fork carriage and forks. However, the actual load rating may be substantially lower. Second, the center of gravity will be affected by the use of any forklift attachment. The forklift's stability will be reduced and this needs to be computed for safety. Because the weight of the attachment will be placed in front of the forklift's fulcrum point, it is necessary to drive the forklift as though it is partially loaded, even prior to picking up a load. Thus, when using any attachment, an operator should travel at a slow speed and make turns slowly and gently. Check the forklift's capacity to ensure that every attachment is listed on the data plate. To maintain safety, special checks need to be completed before using any forklift attachment. The forklift attachment needs to be the right one for the type of forklift being used, appropriate for the load at hand, correctly attached, locked in place and permitted on the data plate of the forklift. List of Common Forklift Attachments Discover a list of common forklift attachments and how they are utilized

below. There are numerous forklift attachments and this list will cover the most popular. Forklift attachments are designed to increase job efficiency for many applications. SIDESHIFTER: The sideshifter enables the forklift to move laterally for easier load placement without having to reposition the entire machine. FORK POSITIONERS: The fork positioners adjust for different loads by moving the forks together or apart in relation to each other. DIMENSIONING DEVICES: Dimensioning devices feature cargo dimensions useful for creating better efficiency in trucks, trailers and warehouses. This technology is often used alongside billing systems that monitor volume. ROTATOR: Assists in righting skids that have tilted, handling custom load requirements and quick unloading. Many attachments include a rotator feature. ROLL AND BARREL CLAMP: The roll and barrel clamp simplifies grasping rounded loads such as barrels. It has numerous pressure settings for handling fragile items with less damage potential. This attachment often has a rotate function to change the load from a vertical to a horizontal position. CARTON AND MULTIPURPOSE CLAMP: The carton and multipurpose clamp has pressure settings and is used for handling more squared shaped loads. It easily masters boxes, bales and cartons. POLE ATTACHMENTS: Pole attachments are placed where the forks would normally be and are used for transporting carpet and rolled up linoleum. SLIP SHEETER OR PUSH-PULL: The slip sheeter or push-pull allows the operator to move sheets by clamping onto slip sheets. This is an option instead of relying on pallets. The slip sheet can be moved onto thin and wide metal forks to simplify loading or unloading by pushing the slip sheet. The "Save" variation allows the slip sheet to be taken off for reuse later. The "Standard," attachment variation is another option. DRUM HANDLER: The drum handler is specifically designed to transport drums. It might feature arms to hold the drum or be a spring-loaded model to grip the top lid. DRUM AND STORAGE BIN TIPPER: The drum and storage bin tipper helps to transfer loose or liquid items into other containers. MAN BASKET: The man basket is a lift platform to allow workers to complete jobs with brackets and railings and safety harnesses. TELESCOPIC FORKS: The telescopic forks are used in locations with a two pallet stacking design were one shelf is placed right behind another with no aisle between them. SCALES: Enables operators to simultaneously weigh and transport pallets, eliminating the need to interrupt transport to travel to scales, and can be obtained in legal-for-trade weights for operations that bill by weight. SINGLE-DOUBLE FORKS: The single-double forks can be used alongside regular lifting tasks. It allows a single pallet or platform to move or two pallets beside each other. Additional attachments can be used and this replaces the need for having a separate specialty unit; thus reducing maintenance and operating costs associated with more than one machine. SNOW PLOW: Snow plows are used to remove snow and redistribute it; however, this attachment can be used with other loose kinds of material. SKIPS: Skips enable quick and safe waste removal to a skip or waste compactor. They may feature a bottom-emptying design or be a roll-forward model. BOOMS AND JIBS: Booms and jibs allow forklifts extended reach. They are available to transport deep or highly stacked loads, suspended loads and more. These attachments can be low profile, precision lifting or reach over models to facilitate extended lengths.